



PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM Books

Search PubMed for antisense Go Clear

☒ Limits Preview/Index History Clipboard Details

About Entrez

Field: Title Word

Display Summary Sort Save Text Clip Add Order

Show: 500 Items 1-500 of 4178 Page 1 of 9 Select page: 1 2 3 4 5 6 7 8 9

Entrez PubMed
Overview
Help | FAQ
Tutorial
New/Noteworthy

PubMed Services
Journal Browser
MeSH Browser
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources
Order Documents
NLM Gateway
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Privacy Policy

- ☐ 1: Masuta C, Tanaka H, Uchida K, Kuwata S, Koiwai A, Noma M. **Broad resistance to plant viruses in transgenic plants conferred by antisense inhibition of a host gene essential in s-adenosylmethionine-dependent transmethylation reactions.** Proc Natl Acad Sci U S A. 1995 Jun 20;92(13):6117-21. PMID: 11607550 [PubMed - in process] **Free in PMC** , Related Articles
- ☐ 2: Orozco-Cardenas M, McGurl B, Ryan CA. **Expression of an Antisense Prosystemin Gene in Tomato Plants Reduces Resistance Toward Manduca sexta Larvae.** Proc Natl Acad Sci U S A. 1993 Sep 1;90(17):8273-6. PMID: 11607423 [PubMed - in process] **Free in PMC** , Related Articles
- ☐ 3: Riesmeier JW, Flugge U, Schulz B, Heineke D, Heldt H, Ithar Willmitzer, Frommer WB. **Antisense repression of the chloroplast triose phosphate translocator affects carbon partitioning in transgenic potato plants.** Proc Natl Acad Sci U S A. 1993 Jul 1;90(13):6160-4. PMID: 11607409 [PubMed - in process] **Free in PMC** , Related Articles
- ☐ 4: Stalteri MA, Mather SJ. **Hybridization and cell uptake studies with radiolabelled antisense oligonucleotides.** Nucl Med Commun. 2001 Nov;22(11):1171-9. PMID: 11606881 [PubMed - in process] Related Articles
- ☐ 5: Kubo T, Ikezawa A, Kambe T, Hagiwara Y, Fukumori R. **Renin antisense injected intraventricularly decreases blood pressure in spontaneously hypertensive rats.** Brain Res Bull. 2001 Sep;56(1):23-8. PMID: 11604244 [PubMed - in process] Related Articles
- ☐ 6: Delihas N, Forst S. **MicF: An Antisense RNA Gene Involved in Response of Escherichia coli to Global Stress Factors.** J Mol Biol. 2001 Oct 12;313(1):1-12. PMID: 11601842 [PubMed - in process] Related Articles
- ☐ 7: Wang X, Zhang R, Xie H. **Combined effect of alpha-fetoprotein antisense oligodeoxy-nucleotides and 5-fluorouracil on human hepatoma cell growth.** Chin Med J (Engl). 1999 Aug;112(8):743-6. PMID: 11601286 [PubMed - in process] Related Articles
- ☐ 8: Li M, Chen Y, Zhang Z. **[Inhibition of mesangial cell proliferation and mesangial matrix expansion by antisense** Related Articles

oligodeoxynucleotide targeting preproendothelin-1 mRNA in vivo].
Zhonghua Yi Xue Za Zhi. 1999 Feb;79(2):133-5. Chinese.
PMID: 11601021 [PubMed - in process]

☐ **9:** Bian J, Zhang B, Chen S.

Related Articles

[Antisense oligonucleotides inhibit c-myc and PCNA expression in the vascular smooth muscle cells].

Zhonghua Yi Xue Za Zhi. 1999 Jan;79(1):10-4. Chinese.
PMID: 11600998 [PubMed - in process]

☐ **10:** Murakami A.

Related Articles

Making sense of antisense.

Trends Mol Med. 2001 Oct;7(10):430-1. No abstract available.
PMID: 11597507 [PubMed - in process]

☐ **11:** Fillion P, Desjardins A, Sayasith K, Lagace J.

Related Articles

Encapsulation of DNA in negatively charged liposomes and inhibition of bacterial gene expression with fluid liposome-encapsulated antisense oligonucleotides.

Biochim Biophys Acta. 2001 Nov 1;1515(1):44-54.
PMID: 11597351 [PubMed - in process]

☐ **12:** Gray TA, Azama K, Whitmore K, Min A, Abe S, Nicholls RD.

Related Articles, Nucleotide, Protein

Phylogenetic conservation of the makorin-2 gene, encoding a multiple zinc-finger protein, antisense to the raf1 proto-oncogene.

Genomics. 2001 Oct;77(3):119-26.
PMID: 11597136 [PubMed - in process]

☐ **13:** Fimmel S, Saborowski A, Orfanos CE, Zouboulis CC.

Related Articles

Development of Efficient Transient Transfection Systems for Introducing Antisense Oligonucleotides into Human Epithelial Skin Cells.

Horm Res. 2000;54(5-6):306-11.
PMID: 11595823 [PubMed - in process]

☐ **14:** Okada T, Mizukami H, Urabe M, Nomoto T, Matsushita T, Hanazono Y, Kume A, Tobita K, Ozawa K.

Related Articles

Development and Characterization of an Antisense-Mediated Prepackaging Cell Line for Adeno-Associated Virus Vector Production.

Biochem Biophys Res Commun. 2001 Oct 19;288(1):62-8.
PMID: 11594752 [PubMed - in process]

☐ **15:** Qi S, Li T, Shan Y.

Related Articles

[Inhibiting effect of antisense oligodeoxynucleotide of alpha 1(I) Precollagen gene on hypertrophic scar in an animal model].

Zhonghua Zheng Xing Wai Ke Za Zhi. 2000 Sep;16(5):295-7. Chinese.
PMID: 11593665 [PubMed - in process]

☐ **16:** Zeng Y, Gu X, Chen Y, Gong L, Ren Z, Huang S.

Related Articles

Reversal of aberrant splicing of beta-thalassemia allele by antisense RNA in vitro and in vivo.

Chin Med J (Engl). 1999 Feb;112(2):107-11.
PMID: 11593572 [PubMed - in process]

☐ **17:** Kumai T, Tateishi T, Tanaka M, Watanabe M, Shimizu H, Kobayashi S.

Related Articles

Tyrosine hydroxylase antisense gene therapy causes hypotensive effects in the spontaneously hypertensive rats.

J Hypertens. 2001 Oct;19(10):1769-73.
PMID: 11593096 [PubMed - in process]

Quan S, Yang L, Abraham NG, Kappas A.

Related Articles

- ☐ 18: Regulation of human heme oxygenase in endothelial cells by using sense and antisense retroviral constructs.
Proc Natl Acad Sci U S A. 2001 Oct 9;98(21):12203-8.
PMID: 11593038 [PubMed - in process]
- ☐ 19: Lee M, Han So, Ko KS, Koh JJ, Park JS, Yoon JW, Kim SW. Related Articles
Repression of GAD Autoantigen Expression in Pancreas beta-Cells by Delivery of Antisense Plasmid/PEG-g-PLL Complex.
Mol Ther. 2001 Oct;4(4):339-46.
PMID: 11592837 [PubMed - in process]
- ☐ 20: Tokuyama H, Tokuyama Y. Related Articles
Class switch recombination signals induce lymphocyte-derived spo11 expression and spo11 antisense oligonucleotide inhibits class switching.
Cell Immunol. 2001 Aug 1;211(2):123-30.
PMID: 11591116 [PubMed - in process]
- ☐ 21: Kipshidze N, Keane E, Stein D, Chawla P, Skrinska V, Shankar LR, Khanna A, Komorowski R, Haudenschild C, Iversen P, Leon MB, Keelan MH, Moses J. Related Articles
Local delivery of c-myc neutrally charged antisense oligonucleotides with transport catheter inhibits myointimal hyperplasia and positively affects vascular remodeling in the rabbit balloon injury model.
Catheter Cardiovasc Interv. 2001 Oct;54(2):247-56.
PMID: 11590694 [PubMed - in process]
- ☐ 22: Torrence PF, Wang Z. Related Articles
Accelerating RNA decay through intervention of RNase L: alternative synthesis of composite 2',5'-oligoadenylate-antisense.
Methods Enzymol. 2001;342:20-8. No abstract available.
PMID: 11586893 [PubMed - in process]
- ☐ 23: Suhr SM, Pamula S, Baylink DJ, Lau KH. Related Articles
Antisense oligodeoxynucleotide evidence that a unique osteoclastic protein-tyrosine phosphatase is essential for osteoclastic resorption.
J Bone Miner Res. 2001 Oct;16(10):1795-803.
PMID: 11585343 [PubMed - in process]
- ☐ 24: Mishra M, Porter-Kelley JM, Singh PK, Bennett JR, Chaudhuri G. Related Articles
Enhanced activity of antisense phosphorothioate oligos against leishmania amastigotes: augmented uptake of oligo, ribonuclease H activation, and efficient target intervention under altered growth conditions.
Biochem Pharmacol. 2001 Sep 1;62(5):569-80.
PMID: 11585054 [PubMed - indexed for MEDLINE]
- ☐ 25: Yacyshyn BR, Crooke ST. Related Articles
The concept and application of antisense oligonucleotides.
Dis Colon Rectum. 2001 Sep;44(9):1241-3.
PMID: 11584192 [PubMed - indexed for MEDLINE]
- ☐ 26: Niiler E. Related Articles
Analysts: Isis-Lilly deal validates antisense.
Nat Biotechnol. 2001 Oct;19(10):898-9. No abstract available.
PMID: 11581643 [PubMed - in process]
- ☐ 27: Henry SP, Miner RC, Drew WL, Fitchett J, York-Defalco C, Rupp LM, Levin AA. Related Articles
Antiviral activity and ocular kinetics of antisense oligonucleotides designed to inhibit CMV

replication.

Invest Ophthalmol Vis Sci. 2001 Oct;42(11):2646-51.

PMID: 11581212 [PubMed - indexed for MEDLINE]

- ☐ 28: [Luo LG, Lee SL, Lechan RM, Jackson IM.](#)

Related Articles

Effect of preproTRH antisense on thyrotropin-releasing hormone synthesis and viability of cultured rat diencephalic neurons.

Endocrine. 2001 Jun;15(1):79-85.

PMID: 11577700 [PubMed - in process]

- ☐ 29: [Stewart DA, Thomas SD, Mayfield CA, Miller DM.](#)

Related Articles

Psoralen-modified clamp-forming antisense oligonucleotides reduce cellular c-Myc protein expression and B16-F0 proliferation.

Nucleic Acids Res. 2001 Oct 1;29(19):4052-61.

PMID: 11574688 [PubMed - in process]

- ☐ 30: [Sazani P, Kang SH, Maier MA, Wei C, Dillman J, Summerton J, Manoharan M, Kole R.](#)

Nuclear antisense effects of neutral, anionic and cationic oligonucleotide analogs.

Nucleic Acids Res. 2001 Oct 1;29(19):3965-74.

PMID: 11574678 [PubMed - in process]

- ☐ 31: [Adachi Y, Lakka SS, Chandrasekar N, Yanamandra N, Gondi CS, Mohanam S, Dinh DH, Olivero WC, Gujrati M, Tamiya T, Ohmoto T, Aggarwal B, Rao JS.](#)

Related Articles

Downregulation of integrin $\alpha v \beta 3$ expression and integrin-mediated signaling in glioma cells by adenovirus-mediated transfer of antisense uPAR and sense p16 genes.

J Biol Chem. 2001 Sep 25 [epub ahead of print]

PMID: 11572856 [PubMed - as supplied by publisher]

- ☐ 32: [Sasaki M, Kobayashi D, Watanabe N.](#)

Related Articles

Augmented Adriamycin Sensitivity in Cells Transduced with an Antisense Tumor Necrosis Factor Gene Is Mediated by Caspase-3 Downstream from Reactive Oxygen Species.

Jpn J Cancer Res. 2001 Sep;92(9):983-8.

PMID: 11572767 [PubMed - in process]

- ☐ 33: [Taylor AH, Pringle JH, Bell SC, Al-Azzawi F.](#)

Related Articles

Specific inhibition of estrogen receptor α function by antisense oligodeoxyribonucleotides.

Antisense Nucleic Acid Drug Dev. 2001 Aug;11(4):219-31.

PMID: 11572599 [PubMed - in process]

- ☐ 34: [Cunningham CC, Holmlund JT, Geary RS, Kwok TJ, Dorr A, Johnston JF, Monia B, Nemunaitis J.](#)

Related Articles

A Phase I trial of H-ras antisense oligonucleotide ISIS 2503 administered as a continuous intravenous infusion in patients with advanced carcinoma.

Cancer. 2001 Sep 1;92(5):1265-71.

PMID: 11571742 [PubMed - indexed for MEDLINE]

- ☐ 35: [Zellweger T, Miyake H, July LV, Akbari M, Kiyama S, Gleave ME.](#)

Related Articles

Chemosensitization of human renal cell cancer using antisense oligonucleotides targeting the antiapoptotic gene clusterin.

Neoplasia. 2001 Jul-Aug;3(4):360-7.

PMID: 11571636 [PubMed - in process]

- ☐ 36: [Qu X, Kirken RA, Tian L, Wang M, Bennett CF, Stepkowski SM.](#)

Related Articles

Selective inhibition of IL-2 gene expression by IL-2 antisense oligonucleotides blocks heart allograft rejection.

Transplantation. 2001 Sep 15;72(5):915-23.

PMID: 11571459 [PubMed - indexed for MEDLINE]

Related Articles

- ☐ **37:**[Inamdar SR, Eyster KM, Schlenker EH.](#) Related Articles
Selected Contribution: Estrogen receptor-alpha antisense decreases brain estrogen receptor levels and affects ventilation in male and female rats.
J Appl Physiol. 2001 Oct;91(4):1886-92.
PMID: 11568176 [PubMed - in process]
- ☐ **38:**[Ji Y, Zhang B, Van SE, Horn, Warren P, Woodnutt G, Burnham MK, Rosenberg M.](#) Related Articles
Identification of critical staphylococcal genes using conditional phenotypes generated by antisense RNA.
Science. 2001 Sep 21;293(5538):2266-9.
PMID: 11567142 [PubMed - indexed for MEDLINE]
- ☐ **39:**[Galli SM, Phillips ML.](#) Related Articles
Angiotensin ii at(1a) receptor antisense lowers blood pressure in acute 2-kidney, 1-clip hypertension.
Hypertension. 2001 Sep;38(3 Pt 2):674-8.
PMID: 11566954 [PubMed - in process]
- ☐ **40:**[Geary RS, Yu RZ, Levin AA.](#) Related Articles
Pharmacokinetics of phosphorothioate antisense oligodeoxynucleotides.
Curr Opin Investig Drugs. 2001 Apr;2(4):562-73.
PMID: 11566019 [PubMed - in process]
- ☐ **41:**[Yu LR, Shao XX, Jiang WL, Xu D, Chang YC, Xu YH, Xia QC.](#) Related Articles
Proteome alterations in human hepatoma cells transfected with antisense epidermal growth factor receptor sequence.
Electrophoresis. 2001 Aug;22(14):3001-8.
PMID: 11565794 [PubMed - in process]
- ☐ **42:**[Dick JM, Van Molle W, Libert C, Lefebvre RA.](#) Related Articles
Antisense knockdown of inducible nitric oxide synthase inhibits the relaxant effect of VIP in isolated smooth muscle cells of the mouse gastric fundus.
Br J Pharmacol. 2001 Sep;134(2):425-33.
PMID: 11564662 [PubMed - in process]
- ☐ **43:**[Netzer P, Domek M, Pai R, Halter F, Tarnawski A.](#) Related Articles
Inhibition of human colon cancer cell growth by antisense oligodeoxynucleotides targeted at basic fibroblast growth factor.
Aliment Pharmacol Ther. 2001 Oct;15(10):1673-9.
PMID: 11564009 [PubMed - in process]
- ☐ **44:**[Inoue H, Furukawa T, Tamura T, Kamada A, Ohtsuka E.](#) Related Articles
Rapid RNA cleavage using an antisense system with two terpyridine.Cu(II) complexes.
Nucleosides Nucleotides Nucleic Acids. 2001 Apr-Jul;20(4-7):833-5.
PMID: 11563126 [PubMed - in process]
- ☐ **45:**[Prakash TP, Kawasaki AM, Johnston JF, Graham MJ, Condon TP, Manoharan M.](#) Related Articles
Antisense properties of 2'-O-dimethylaminoxyethyl (2'-O-DMAOE) oligonucleotides.
Nucleosides Nucleotides Nucleic Acids. 2001 Apr-Jul;20(4-7):829-32.
PMID: 11563125 [PubMed - in process]
- ☐ **46:**[Rejman D, Snasel J, Liboska R, Tocik Z, Paces O, Kralikova S, Rinnova M, Kois P, Rosenberg I.](#) Related Articles
Oligonucleotides with isopolar phosphonate internucleotide linkage: a new perspective for antisense compounds?
Nucleosides Nucleotides Nucleic Acids. 2001 Apr-Jul;20(4-7):819-23.
PMID: 11563123 [PubMed - in process]
- ☐ **47:**[Duzgunes N, Simoes S, Slepishkin V, Pretzer E, Rossi JJ, De Clercq E, Antao VP, Collins ML.](#) Related Articles

de Lima MC.

Enhanced inhibition of HIV-1 replication in macrophages by antisense oligonucleotides, ribozymes and acyclic nucleoside phosphonate analogs delivered in pH-sensitive liposomes.
Nucleosides Nucleotides Nucleic Acids. 2001 Apr-Jul;20(4-7):515-23.
PMID: 11563068 [PubMed - in process]

☐ **48:** Damha MJ, Noronha AM, Wilds CJ, Trempe JF, Denisov A, Pon RT, Gehring K.

Related Articles

Properties of arabinonucleic acids (ANA & 20'F-ANA): implications for the design of antisense therapeutics that invoke RNase H cleavage of RNA.
Nucleosides Nucleotides Nucleic Acids. 2001 Apr-Jul;20(4-7):429-40.
PMID: 11563058 [PubMed - in process]

☐ **49:** Baker BF.

Related Articles

The role of antisense oligonucleotides in the wave of genomic information.
Nucleosides Nucleotides Nucleic Acids. 2001 Apr-Jul;20(4-7):397-9.
PMID: 11563054 [PubMed - in process]

☐ **50:** Margraf S, Bittoova M, Vogel JU, Kotchekov R, Doerr HW, Cinatl J Jr.

Related Articles

Antisense oligonucleotide ISIS 2922 targets IE-expression and prevents HCMV-IE-induced suppression of TSP-1 and TSP-2 expression.
Nucleosides Nucleotides Nucleic Acids. 2001 Apr-Jul;20(4-7):1425-8.
PMID: 11563036 [PubMed - in process]

☐ **51:** Lehmann TJ, Serwe M, Caselmann WH, Engels JW.

Related Articles

Design and properties of hepatitis C virus antisense oligonucleotides for liver specific drug targeting.
Nucleosides Nucleotides Nucleic Acids. 2001 Apr-Jul;20(4-7):1343-6.
PMID: 11563018 [PubMed - in process]

☐ **52:** Blakley GG, Pohorecky LA, Benjamin D.

Related Articles

Bidirectional changes in ethanol consumption in rats with site-specific antisense down-regulation of 5-hydroxytryptamine_{2A} receptors in brain.
J Pharmacol Exp Ther. 2001 Oct;299(1):277-89.
PMID: 11561090 [PubMed - indexed for MEDLINE]

☐ **53:** Yu Q, Rose JH, Zhang H, Pommier Y.

Related Articles

Antisense inhibition of Chk2/hCds1 expression attenuates DNA damage-induced S and G2 checkpoints and enhances apoptotic activity in HEK-293 cells.
FEBS Lett. 2001 Sep 7;505(1):7-12.
PMID: 11557032 [PubMed - in process]

☐ **54:** Jablonski MM.

Related Articles

Investigating the mechanisms of retinal degenerations with antisense oligonucleotides.
Doc Ophthalmol. 2001 May;102(3):179-96.
PMID: 11556485 [PubMed - in process]

☐ **55:** Migeon BR, Chowdhury AK, Dunston JA, McIntosh I.

Related Articles

Identification of TSIX, Encoding an RNA Antisense to Human XIST, Reveals Differences from its Murine Counterpart: Implications for X Inactivation.
Am J Hum Genet. 2001 Nov;69(5):951-60.
PMID: 11555794 [PubMed - in process]

☐ **56:** Schlaak JF, Barreiros AP, Pettersson S, Schirmacher P, Meyer Zum Buschenfelde KH, Neurath MF.

Related Articles

Antisense phosphorothioate oligonucleotides to the p65 subunit of NF-kappaB abrogate fulminant septic shock induced by *S. typhimurium* in mice.
Scand J Immunol. 2001 Oct;54(4):396-403.
PMID: 11555406 [PubMed - indexed for MEDLINE]

- ☐ **57:** [Ganeteg U, Strand A, Gustafsson P, Jansson S.](#) Related Articles
The Properties of the Chlorophyll a/b-Binding Proteins Lhca2 and Lhca3 Studied in Vivo Using Antisense Inhibition.
Plant Physiol. 2001 Sep;127(1):150-8.
PMID: 11553743 [PubMed - in process]
- ☐ **58:** [Sze SC, Wong CK, Yung KK.](#) Related Articles
Modulation of the gene expression of N-methyl-D-aspartate receptor NR2B subunit in the rat neostriatum by a single dose of specific antisense oligodeoxynucleotide.
Neurochem Int. 2001 Oct;39(4):319-27.
PMID: 11551672 [PubMed - in process]
- ☐ **59:** [Riggs CD, Zeman K, Deguzman R, Rzepczyk A, Taylor AA.](#) Related Articles
Antisense inhibition of a tomato melotic proteinase suggests functional redundancy of proteinases during microsporogenesis.
Genome. 2001 Aug;44(4):644-50.
PMID: 11550900 [PubMed - in process]
- ☐ **60:** [Stein CA.](#) Related Articles
The experimental use of antisense oligonucleotides: a guide for the perplexed.
J Clin Invest. 2001 Sep;108(5):641-4. No abstract available.
PMID: 11544265 [PubMed - indexed for MEDLINE]
- ☐ **61:** [Tyler-McMahon BM, Stewart JA, Jackson J, Bitner MD, Fauq A, McCormick DJ, Richelson E.](#) Related Articles
Altering behavioral responses and dopamine transporter protein with antisense peptide nucleic acids.
Biochem Pharmacol. 2001 Oct 1;62(7):929-32.
PMID: 11543728 [PubMed - indexed for MEDLINE]
- ☐ **62:** [Barro M, Mandiola P, Chen D, Patton JT, Spencer E.](#) Related Articles
Identification of sequences in rotavirus mRNAs important for minus strand synthesis using antisense oligonucleotides.
Virology. 2001 Sep 15;288(1):71-80.
PMID: 11543659 [PubMed - indexed for MEDLINE]
- ☐ **63:** [Srivastava R, Peterson MS, Bentley WE.](#) Related Articles
Stochastic kinetic analysis of the Escherichia coli stress circuit using sigma(32)-targeted antisense.
Biotechnol Bioeng. 2001 Oct 5;75(1):120-9.
PMID: 11536134 [PubMed - in process]
- ☐ **64:** [Garver E, Tu Gc, Cao QN, Aini M, Zhou F, Israel Y.](#) Related Articles
Eliciting the low-activity aldehyde dehydrogenase Asian phenotype by an antisense mechanism results in an aversion to ethanol.
J Exp Med. 2001 Sep 3;194(5):571-80.
PMID: 11535626 [PubMed - indexed for MEDLINE]
- ☐ **65:** [Thenie AC, Gicquel IM, Hardy S, Ferran H, Fergelot P, Le Gall JY, Mosser J.](#) Related Articles
Identification of an endogenous RNA transcribed from the antisense strand of the HFE gene.
Hum Mol Genet. 2001 Aug 15;10(17):1859-66.
PMID: 11532995 [PubMed - in process]
- ☐ **66:** [Voisard R, Huber N, Baur R, Susa M, Ickrath O, Both A, Koenig W, Hombach V.](#) Related Articles
Different effects of antisense RelA p65 and NF-kappaB1 p50 oligonucleotides on the nuclear factor-kappaB mediated expression of ICAM-1 in human coronary endothelial and smooth muscle cells.
BMC Mol Biol. 2001;2(1):7.
PMID: 11532196 [PubMed - as supplied by publisher]
- ☐ **67:** [Alcaro S, Tafi A, Ortuso F, Wozniak LA, Gacs-Baitz E, Botta M.](#) Related Articles

Conformational search of antisense nucleotides.
Bioorg Med Chem Lett. 2001 Sep 3;11(17):2273-7.
PMID: 11527713 [PubMed - in process]

☐ **68:** Willard HF, Carrel L.

Free in PMC , Related Articles

Making sense (and antisense) of the X inactivation center.
Proc Natl Acad Sci U S A. 2001 Aug 28;98(18):10025-7. No abstract available.
PMID: 11526224 [PubMed - indexed for MEDLINE]

☐ **69:** Cao W, Zhang Y, Zhang D, Zou P.

Related Articles

Effect of antisense oligodeoxynucleotide directed to NF-kappa B-RelA on Bcl-XL mRNA in extended drug resistance leukemia cell line HL-60/E6.
J Tongji Med Univ. 2001;21(1):32-4.
PMID: 11523242 [PubMed - in process]

☐ **70:** Okubo Y.

Related Articles

[Overexpression of the human HOXD3-antisense in melanoma cells results in decreased invasive activity].
Hokkaido Igaku Zasshi. 2001 Jul;76(4):239-50. Japanese. No abstract available.
PMID: 11523115 [PubMed - in process]

☐ **71:** Lloyd BH, Giles RV, Spiller DG, Grzybowski J, Tidd DM, Sibson DR.

Related Articles

Determination of optimal sites of antisense oligonucleotide cleavage within TNFalpha mRNA.
Nucleic Acids Res. 2001 Sep 1;29(17):3664-73.
PMID: 11522838 [PubMed - indexed for MEDLINE]

☐ **72:** Sugiyo S, Yonehara N, Appenteng K, Nokubi T, Shigenaga Y, Takemura M.

Related Articles

Effects of intrathecal c-fos antisense oligodeoxynucleotide on adjuvant-induced thermal hyperalgesia.
Exp Brain Res. 2001 Sep;140(2):198-205.
PMID: 11521152 [PubMed - in process]

☐ **73:** Leubner-Metzger G, Meins F Jr.

Related Articles

Antisense-transformation reveals novel roles for class I beta-1,3-glucanase in tobacco seed after-ripening and photodormancy.
J Exp Bot. 2001 Sep;52(362):1753-9.
PMID: 11520863 [PubMed - in process]

☐ **74:** Gonzalez Ferreiro M, Tillman L, Hardee G, Bodmeier R.

Related Articles

Characterization of complexes of an antisense oligonucleotide with protamine and poly-L-lysine salts.
J Control Release. 2001 Jun 15;73(2-3):381-90.
PMID: 11516513 [PubMed - indexed for MEDLINE]

☐ **75:** Jayaraman A, Walton SP, Yarmush ML, Roth CM.

Related Articles

Rational selection and quantitative evaluation of antisense oligonucleotides.
Biochim Biophys Acta. 2001 Aug 30;1520(2):105-14.
PMID: 11513951 [PubMed - indexed for MEDLINE]

☐ **76:** Tamm I, Dorken B, Hartmann G.

Related Articles

Antisense therapy in oncology: new hope for an old idea?
Lancet. 2001 Aug 11;358(9280):489-97. Review.
PMID: 11513935 [PubMed - indexed for MEDLINE]

☐ **77:** Hu Q, Shew CR, Bally MB, Madden TD.

Related Articles

Programmable fusogenic vesicles for intracellular delivery of antisense oligodeoxynucleotides: enhanced cellular uptake and biological effects.

Biochim Biophys Acta. 2001 Sep 3;1514(1):1-13.
PMID: 11513800 [PubMed - indexed for MEDLINE]

☐ **78:** Olje RA, Zangemeister-Wittke U.

Related Articles

Targeting tumor cell resistance to apoptosis induction with antisense oligonucleotides: progress and therapeutic potential.
Drug Resist Updat. 2001 Feb;4(1):9-15.
PMID: 11512155 [PubMed - in process]

☐ **79:** Tucker RP.

Related Articles

Abnormal neural crest cell migration after the in vivo knockdown of tenascin-C expression with morpholino antisense oligonucleotides.
Dev Dyn. 2001 Sep;222(1):115-9.
PMID: 11507773 [PubMed - in process]

☐ **80:** Zellweger T, Miyake H, Cooper S, Chi K, Conklin BS, Monia BP, Gleave ME.

Related Articles

Antitumor activity of antisense clusterin oligonucleotides is improved in vitro and in vivo by incorporation of 2'-O-(2-methoxy)ethyl chemistry.
J Pharmacol Exp Ther. 2001 Sep;298(3):934-40.
PMID: 11504787 [PubMed - indexed for MEDLINE]

☐ **81:** Ushijima K, Shirakawa M, Kagoshima K, Park WS, Miyano-Kurosaki N, Takaku H.

Related Articles

Anti-HIV-1 activity of an antisense phosphorothioate oligonucleotide bearing imidazole and primary amine groups.
Bioorg Med Chem. 2001 Aug;9(8):2165-9.
PMID: 11504653 [PubMed - indexed for MEDLINE]

☐ **82:** Koehn RK, Rossi J, Stein CA.

Related Articles

In defense of antisense.
Science. 2001 Aug 10;293(5532):1047-8. No abstract available.
PMID: 11503637 [PubMed - indexed for MEDLINE]

☐ **83:** Lin SB, Ts'o PO, Sun SK, Choo KB, Yang FY, Lim YP, Tsai HL, Au LC.

Related Articles

Inhibition of thymidylate synthase activity by antisense oligodeoxynucleotide and possible role in thymineless treatment.
Mol Pharmacol. 2001 Sep;60(3):474-9.
PMID: 11502877 [PubMed - indexed for MEDLINE]

☐ **84:** Gleave ME, Miyake H, Zellweger T, Chi K, July L, Nelson C, Rennie P.

Related Articles

Use of antisense oligonucleotides targeting the antiapoptotic gene, clusterin/testosterone-repressed prostate message 2, to enhance androgen sensitivity and chemosensitivity in prostate cancer.
Urology. 2001 Aug;58(2 Suppl 1):39-48.
PMID: 11502446 [PubMed - in process]

☐ **85:** Nordgren S, Slagter-Jager JG, Wagner GH.

Related Articles

Real time kinetic studies of the interaction between folded antisense and target RNAs using surface plasmon resonance.
J Mol Biol. 2001 Jul 27;310(5):1125-34.
PMID: 11502000 [PubMed - indexed for MEDLINE]

☐ **86:** Zhang RG, Wang XW, Yuan JH, Xie H.

Related Articles

Human hepatoma cell telomerase activity inhibition and cell cycle modulation by its RNA component antisense oligodeoxyribonucleotides.
Acta Pharmacol Sin. 2000 Aug;21(8):742-6.
PMID: 11501185 [PubMed - in process]

☐ **87:** Xing L, Xia GH, Bai XF, Fei J, Guo LH.

Related Articles

Adenovirus-mediated expression of antisense RNA transcripts complementary to pig alpha(1,3) galactosyltransferase mRNA inhibits expression of Gal alpha(1,3) Gal epitope.
Acta Pharmacol Sin. 2000 Nov;21(11):1005-10.
PMID: 11501054 [PubMed - in process]

☐ **88:** Wu HC, Huang PH, Chiu CY, Lin CT.

G protein beta2 subunit antisense oligonucleotides inhibit cell proliferation and disorganize microtubule and mitotic spindle organization.
J Cell Biochem. 2001 Oct 1;83(1):136-46.
PMID: 11500962 [PubMed - in process]

☐ **89:** Wu RS, Kobie JJ, Besselsen DG, Fong TC, Mack VD, McEarchern JA, Akporiaye ET.

Related Articles

Comparative analysis of IFN-gamma B7.1 and antisense TGF-beta gene transfer on the tumorigenicity of a poorly immunogenic metastatic mammary carcinoma.
Cancer Immunol Immunother. 2001 Jul;50(5):229-40.
PMID: 11499806 [PubMed - indexed for MEDLINE]

☐ **90:** Du YP, Hu QH, Wang JZ, Wang DX.

Related Articles

[Effect of ET-1 antisense oligodeoxynucleotide on the hemodynamics of normal and experimental hypertensive rats].
Sheng Li Xue Bao. 1999 Aug;51(4):413-8. Chinese.
PMID: 11498969 [PubMed - indexed for MEDLINE]

☐ **91:** Ding B, Huang SL, Li YX.

Related Articles

[Inhibitory effects of antisense oligonucleotides targeting mitogen-activated protein kinase (MAPK) mRNA on neonatal rat cardiac fibroblast proliferation induced by Ang II and EGF].
Sheng Li Xue Bao. 1999 Aug;51(4):397-406. Chinese.
PMID: 11498967 [PubMed - indexed for MEDLINE]

☐ **92:** Lin L, Yuan WJ, Chu XL, Xu H, Li L, Ren AJ.

Related Articles

[Preventive effect of endothelin-1 mRNA antisense oligonucleotide on acute myocardial ischemic arrhythmia in rats].
Sheng Li Xue Bao. 1999 Oct;51(5):533-40. Chinese.
PMID: 11498951 [PubMed - indexed for MEDLINE]

☐ **93:** Jing H, Huang W, Qiu J.

Related Articles

[Inhibitive effect of bcl-2 antisense oligodeoxynucleotide on Bcl-2 protein synthesis and cell proliferation in human laryngocarcinoma Hep-2 cells].
Zhonghua Er Bi Yan Hou Ke Za Zhi. 1998 Feb;33(1):17-20. Chinese.
PMID: 11498881 [PubMed - indexed for MEDLINE]

☐ **94:** Krueger S, Kellner U, Buehling F, Roessner A.

Related Articles

Cathepsin L antisense oligonucleotides in a human osteosarcoma cell line: effects on the invasive phenotype.
Cancer Gene Ther. 2001 Jul;8(7):522-8.
PMID: 11498774 [PubMed - indexed for MEDLINE]

☐ **95:** Leonetti C, Biroccio A, Benassi B, Stringaro A, Stoppacciaro A, Semple SC, Zupi G.

Related Articles

Encapsulation of c-myc antisense oligodeoxynucleotides in lipid particles improves antitumoral efficacy in vivo in a human melanoma line.
Cancer Gene Ther. 2001 Jun;8(6):459-68.
PMID: 11498766 [PubMed - indexed for MEDLINE]

☐ **96:** Qi XY, Li XM, Liu M, Li M, Zhang GJ.

Related Articles

Study on the inhibitory effect of antisense phosphorothioate oligodeoxynucleotide on coxsackie virus B replication in vitro
Zhonghua Shi Yan He Lin Chuang Bing Du Xue Za Zhi. 2000 Sep;14(3):253-256.

PMID: 11498691 [PubMed - as supplied by publisher]

- ☐ **97:** Kipshidze N, Moses J, Shankar LR, Leon M. Related Articles
Perspectives on antisense therapy for the prevention of restenosis.
Curr Opin Mol Ther. 2001 Jun;3(3):265-77.
PMID: 11497351 [PubMed - in process]
- ☐ **98:** Kagiyama S, Kagiyama T, Phillips ML. Related Articles
Antisense oligonucleotides strategy in the treatment of hypertension.
Curr Opin Mol Ther. 2001 Jun;3(3):258-64.
PMID: 11497350 [PubMed - in process]
- ☐ **99:** Arora V, Iversen PL. Related Articles
Redirection of drug metabolism using antisense technology.
Curr Opin Mol Ther. 2001 Jun;3(3):249-57.
PMID: 11497349 [PubMed - in process]
- ☐ **100:** Brand RM. Related Articles
Topical and transdermal delivery of antisense oligonucleotides.
Curr Opin Mol Ther. 2001 Jun;3(3):244-8.
PMID: 11497348 [PubMed - in process]
- ☐ **101:** Orum H, Wengel J. Related Articles
Locked nucleic acids: a promising molecular family for gene-function analysis and antisense drug development.
Curr Opin Mol Ther. 2001 Jun;3(3):239-43.
PMID: 11497347 [PubMed - in process]
- ☐ **102:** Kole R, Sazani P. Related Articles
Antisense effects in the cell nucleus: modification of splicing.
Curr Opin Mol Ther. 2001 Jun;3(3):229-34.
PMID: 11497345 [PubMed - in process]
- ☐ **103:** Grunbaum U, Meye A, Bache M, Bartel F, Wurl P, Schmidt H, Dunst J, Taubert H. Related Articles
Transfection with mdm2-antisense or wtp53 results in radiosensitization and an increased apoptosis of a soft tissue sarcoma cell line.
Anticancer Res. 2001 May-Jun;21(3B):2065-71.
PMID: 11497299 [PubMed - indexed for MEDLINE]
- ☐ **104:** Yang DC, Jiang XP, Elliott RL, Head JF. Related Articles
Inhibition of growth of human breast carcinoma cells by an antisense oligonucleotide targeted to the transferrin receptor gene.
Anticancer Res. 2001 May-Jun;21(3B):1777-87.
PMID: 11497259 [PubMed - indexed for MEDLINE]
- ☐ **105:** Inoue K, Wood CG, Slaton JW, Karashima T, Sweeney P, Dinney CP. Related Articles
Adenoviral-mediated gene therapy of human bladder cancer with antisense interleukin-8.
Oncol Rep. 2001 Sep-Oct;8(5):955-64.
PMID: 11496299 [PubMed - in process]
- ☐ **106:** Milton NG, Mayor NP, Rawlinson J. Related Articles
Identification of amyloid-beta binding sites using an antisense peptide approach.
Neuroreport. 2001 Aug 8;12(11):2561-6.
PMID: 11496149 [PubMed - indexed for MEDLINE]
- ☐ **107:** Hattori R, Hernandez TE, Zhu L, Maulik N, Otani H, Kaneda Y, Das DK. Related Articles

An essential role of the antioxidant gene Bcl-2 in myocardial adaptation to ischemia: an insight with antisense Bcl-2 therapy.
Antioxid Redox Signal. 2001 Jun;3(3):403-13.
PMID: 11491653 [PubMed - in process]

- ☐ **108:** Duggan BJ, Maxwell P, Kelly JD, Canning P, Anderson NH, Keane PF, Johnston SR, Williamson KE. Related Articles
The effect of antisense Bcl-2 oligonucleotides on Bcl-2 protein expression and apoptosis in human bladder transitional cell carcinoma.
J Urol. 2001 Sep;166(3):1098-105.
PMID: 11490306 [PubMed - indexed for MEDLINE]
- ☐ **109:** Tortora G, Caputo R, Damiano V, Bianco R, Fontanini G, Cuccato S, De Placido S, Bianco AR, Ciardiello F. Related Articles
Combined blockade of protein kinase A and bcl-2 by antisense strategy induces apoptosis and inhibits tumor growth and angiogenesis.
Clin Cancer Res. 2001 Aug;7(8):2537-44.
PMID: 11489837 [PubMed - indexed for MEDLINE]
- ☐ **110:** Mohanam S, Jasti SL, Kondraganti SR, Chandrasekar N, Kin Y, Fuller GN, Lakka SS, Kyritsis AP, Dinh DH, Olivero WC, Gujrati M, Yung WK, Rao JS. Related Articles
Stable transfection of urokinase-type plasminogen activator antisense construct modulates invasion of human glioblastoma cells.
Clin Cancer Res. 2001 Aug;7(8):2519-26.
PMID: 11489835 [PubMed - indexed for MEDLINE]
- ☐ **111:** Pastorino F, Stuart D, Ponzoni M, Allen TM. Related Articles
Targeted delivery of antisense oligonucleotides in cancer.
J Control Release. 2001 Jul 6;74(1-3):69-75.
PMID: 11489484 [PubMed - in process]
- ☐ **112:** Tabata K, Oba K, Suzuki K, Esaka M. Related Articles
Generation and properties of ascorbic acid-deficient transgenic tobacco cells expressing antisense RNA for L-galactono-1,4-lactone dehydrogenase.
Plant J. 2001 Jul;27(2):139-48.
PMID: 11489191 [PubMed - indexed for MEDLINE]
- ☐ **113:** Tronchet M, Ranty B, Marco Y, Roby D. Related Articles
HSR203 antisense suppression in tobacco accelerates development of hypersensitive cell death.
Plant J. 2001 Jul;27(2):115-27.
PMID: 11489189 [PubMed - indexed for MEDLINE]
- ☐ **114:** Turchi J, Sarter M. Related Articles
Antisense oligodeoxynucleotide-induced suppression of basal forebrain NMDA-NR1 subunits selectively impairs visual attentional performance in rats.
Eur J Neurosci. 2001 Jul;14(1):103-17.
PMID: 11488954 [PubMed - indexed for MEDLINE]
- ☐ **115:** Lu C, Zainal Z, Tucker GA, Lycett GW. Related Articles, Nucleotide, Protein
Developmental abnormalities and reduced fruit softening in tomato plants expressing an antisense Rab11 GTPase gene.
Plant Cell. 2001 Aug;13(8):1819-33.
PMID: 11487695 [PubMed - indexed for MEDLINE]
- ☐ **116:** Lottmann H, Vanselow J, Hessabi B, Walther R. Related Articles
The Tet-On system in transgenic mice: inhibition of the mouse pdx-1 gene activity by antisense RNA expression in pancreatic beta-cells.
J Mol Med. 2001 Jun;79(5-6):321-8.
PMID: 11485027 [PubMed - in process]

- 117: [Tschopp K, Hartmann G, Jox R, Thompson S, Eigler A, Krug A, Erhardt S, Adams G, Endres S, Delius M.](#) [Related Articles](#)
Shock waves: a novel method for cytoplasmic delivery of antisense oligonucleotides.
J Mol Med. 2001 Jun;79(5-6):306-13.
PMID: 11485025 [PubMed - in process]
- 118: [Yonemura Y, Endo Y, Fujita H, Kimura K, Sugiyama K, Momiyama N, Shimada H, Sasaki T.](#) [Related Articles](#)
Inhibition of peritoneal dissemination in human gastric cancer by MMP-7-specific antisense oligonucleotide.
J Exp Clin Cancer Res. 2001 Jun;20(2):205-12.
PMID: 11484976 [PubMed - in process]
- 119: [Ohyama H, Kajita H, Omori K, Takumi T, Hiramoto N, Iwasaka T, Matsuda H.](#) [Related Articles](#)
Inhibition of cardiac delayed rectifier K⁺ currents by an antisense oligodeoxynucleotide against IsK (minK) and over-expression of IsK mutant D77N in neonatal mouse hearts.
Pflugers Arch. 2001 Jun;442(3):329-35.
PMID: 11484762 [PubMed - in process]
- 120: [Varga VL, Fulop AK, Holub MC, Toth S, Szalai C, Falus A.](#) [Related Articles](#)
gp130-specific antisense oligonucleotides inhibit IL-6 signal inducing junB mRNA transcription in the human hepatoma cell line, HepG2.
Cell Biol Int. 2001;25(8):835-40.
PMID: 11482910 [PubMed - indexed for MEDLINE]
- 121: [Cho YS, Kim MK, Cheadle C, Neary C, Becker KG, Cho-Chung YS.](#) [Related Articles](#)
Antisense DNAs as multisite genomic modulators identified by DNA microarray.
Proc Natl Acad Sci U S A. 2001 Aug 14;98(17):9819-23.
PMID: 11481453 [PubMed - indexed for MEDLINE]
- 122: [Stein CA.](#) [Related Articles](#)
Antisense that comes naturally.
Nat Biotechnol. 2001 Aug;19(8):737-8. No abstract available.
PMID: 11479564 [PubMed - indexed for MEDLINE]
- 123: [Good L, Nielsen PE.](#)
Peptide nucleic acid (PNA) antisense effects in Escherichia coli.
Curr Issues Mol Biol. 1999;1(1-2):111-6.
PMID: 11475695 [PubMed - in process]
- 124: [Noguchi T, Ikeda K, Yamamoto K, Yoshida I, Ashiba A, Tsuchiyama J, Shinagawa K, Yoshino T, Takata M, Harada M.](#) [Related Articles](#)
Antisense oligodeoxynucleotides to latent membrane protein 1 induce growth inhibition, apoptosis and Bcl-2 suppression in Epstein-Barr virus (EBV)-transformed B-lymphoblastoid cells, but not in EBV-positive natural killer cell lymphoma cells.
Br J Haematol. 2001 Jul;114(1):84-92.
PMID: 11472349 [PubMed - indexed for MEDLINE]
- 125: [Adah SA, Bayly SF, Cramer H, Silverman RH, Torrence PF.](#) [Related Articles](#)
Chemistry and biochemistry of 2',5'-oligoadenylate-based antisense strategy.
Curr Med Chem. 2001 Aug;8(10):1189-212.
PMID: 11472236 [PubMed - indexed for MEDLINE]
- 126: [Kolb FA, Westhof E, Ehresmann C, Ehresmann B, Wagner EG, Romby P.](#) [Related Articles](#)
Bulged residues promote the progression of a loop-loop interaction to a stable and inhibitory antisense-target RNA complex.
Nucleic Acids Res. 2001 Aug 1;29(15):3145-53.
PMID: 11470871 [PubMed - indexed for MEDLINE]

- ☐ **127:** Delias N. Related Articles
Targeting the expression of anti-apoptotic proteins by antisense oligonucleotides.
Curr Drug Targets. 2001 Jun;2(2):167-80. Review.
PMID: 11469717 [PubMed - indexed for MEDLINE]
- ☐ **128:** van Deutekom JC, Brenner-Bout M, Janson AA, Ginjaar JB, Baas F, den Dunnen JT, van Ommen GJ. Related Articles
Antisense-induced exon skipping restores dystrophin expression in DMD patient derived muscle cells.
Hum Mol Genet. 2001 Jul 15;10(15):1547-54.
PMID: 11468272 [PubMed - in process]
- ☐ **129:** Malatynska E, Dyr W, Krzascik P, Kostowski W. Related Articles
Changes in ethanol preference by rats treated with gamma1 and gamma2 GABA(A) receptor subunit antisense oligodeoxynucleotides.
Alcohol Alcohol. 2001 Jul-Aug;36(4):309-13.
PMID: 11468130 [PubMed - indexed for MEDLINE]
- ☐ **130:** Lottmann H, Vanselow J, Hessabi B, Walther R.
The Tet-On system in transgenic mice: inhibition of the mouse pdx-1 gene activity by antisense RNA expression in pancreatic beta-cells.
J Mol Med. 2001 Jun;79(5/6):321-328.
PMID: 11466549 [PubMed - as supplied by publisher]
- ☐ **131:** Tschoep K, Hartmann G, Jox R, Thompson S, Eigler A, Krug A, Erhardt S, Adams G, Endres S, Delius M.
Shock waves: a novel method for cytoplasmic delivery of antisense oligonucleotides.
J Mol Med. 2001 Jun;79(5/6):306-313.
PMID: 11466547 [PubMed - as supplied by publisher]
- ☐ **132:** Gjerset R, Haghighi A, Lebedeva S, Mercola D. Related Articles
Gene therapy approaches to sensitization of human prostate carcinoma to cisplatin by adenoviral expression of p53 and by antisense jun kinase oligonucleotide methods.
Methods Mol Biol. 2001;175:495-520. No abstract available.
PMID: 11462854 [PubMed - in process]
- ☐ **133:** Lebedeva I, Raffo A, Rando R, Ojwang J, Cossum P, Stein CA. Related Articles
Chemotherapeutic sensitization of bladder carcinoma cells by bcl-xL antisense oligonucleotides.
J Urol. 2001 Aug;166(2):461-9.
PMID: 11458048 [PubMed - indexed for MEDLINE]
- ☐ **134:** Paul D, Yao D, Zhu P, Minor LD, Garcia MM. Related Articles
5-hydroxytryptamine3 (5-HT3) receptors mediate spinal 5-HT antinociception: an antisense approach.
J Pharmacol Exp Ther. 2001 Aug;298(2):674-8.
PMID: 11454930 [PubMed - indexed for MEDLINE]
- ☐ **135:** Berg RW, Werner M, Ferguson PJ, Postenka C, Vincent M, Koropatnick DJ, Behrend E. Related Articles
Tumor growth inhibition in vivo and G2/M cell cycle arrest induced by antisense oligodeoxynucleotide targeting thymidylate synthase.
J Pharmacol Exp Ther. 2001 Aug;298(2):477-84.
PMID: 11454908 [PubMed - indexed for MEDLINE]
- ☐ **136:** Handler M, Iozzo RV. Related Articles
Constitutive and inducible antisense expression.
Methods Mol Biol. 2001;171:251-9. No abstract available.
PMID: 11450235 [PubMed - in process]

Related Articles

- 137: [Wraight CJ, White PJ](#).
Antisense oligonucleotides in cutaneous therapy.
Pharmacol Ther. 2001 Apr;90(1):89-104. Review.
PMID: 11448727 [PubMed - indexed for MEDLINE]
- 138: [Dorn G, Abdel'Al S, Natt FJ, Weiler J, Hall J, Meigel I, Mosbacher J, Wishart W](#).
Specific inhibition of the rat ligand-gated ion channel P2X3 function via methoxyethoxy-modified phosphorothioated antisense oligonucleotides.
Antisense Nucleic Acid Drug Dev. 2001 Jun;11(3):165-74.
PMID: 11446592 [PubMed - in process] Related Articles
- 139: [Samani TD, Jolles B, Laigle A](#).
Best minimally modified antisense oligonucleotides according to cell nuclease activity.
Antisense Nucleic Acid Drug Dev. 2001 Jun;11(3):129-36.
PMID: 11446588 [PubMed - in process] Related Articles
- 140: [Hegyesi H, Somlai B, Varga VL, Toth G, Kovacs P, Molnar EL, Laszlo V, Karpati S, Rivera E, Falus A, Darvas Z](#).
Suppression of melanoma cell proliferation by histidine decarboxylase specific antisense oligonucleotides.
J Invest Dermatol. 2001 Jul;117(1):151-3.
PMID: 11442763 [PubMed - indexed for MEDLINE] Related Articles
- 141: [Miyake H, Hara I, Kamidono S, Gleave ME](#).
Novel therapeutic strategy for advanced prostate cancer using antisense oligodeoxynucleotides targeting anti-apoptotic genes upregulated after androgen withdrawal to delay androgen-independent progression and enhance chemosensitivity.
Int J Urol. 2001 Jul;8(7):337-49. Review.
PMID: 11442654 [PubMed - indexed for MEDLINE] Related Articles
- 142: [Sun ZQ, Wu HL](#).
[Chromogranin A gene antisense transgenic mice and the tissue specific promoter of chromogranin A gene].
Yi Chuan Xue Bao. 2001 May;28(5):398-404. Chinese.
PMID: 11441651 [PubMed - indexed for MEDLINE] Related Articles
- 143: [Sprague JE, Worst TJ, Haynes K, Mosler CR, Nichols DE, Kane MD](#).
The pharmacodynamic characterization of an antisense oligonucleotide against monoamine oxidase-B (MAO-B) in rat brain striatal tissue.
Cell Mol Neurobiol. 2001 Feb;21(1):53-64.
PMID: 11440198 [PubMed - in process] Related Articles
- 144: [Tahtiharju S, Palva T](#).
Antisense inhibition of protein phosphatase 2C accelerates cold acclimation in *Arabidopsis thaliana*.
Plant J. 2001 May;26(4):461-70.
PMID: 11439132 [PubMed - in process] Related Articles
- 145: [Chilcoat ND, Elde NC, Turkewitz AP](#).
An antisense approach to phenotype-based gene cloning in *Tetrahymena*.
Proc Natl Acad Sci U S A. 2001 Jul 17;98(15):8709-13.
PMID: 11438705 [PubMed - indexed for MEDLINE] Related Articles, Nucleotide, Protein
- 146: [Hashiba Y, Asada Y, Heikinheimo O, Lanzendorf SE, Mizutani S](#).
Microinjection of antisense c-mos oligonucleotides prevents the progression of meiosis in human and hamster oocytes.
Fertil Steril. 2001 Jul;76(1):143-7.
PMID: 11438333 [PubMed - indexed for MEDLINE] Related Articles

- 147: Kushiro M, Nakano T, Sato K, Yamagishi K, Asami T, Nakano A, Takatsuto S, Fujioka S, Ebizuka Y, Yoshida S. Related Articles. Nucleotide. Protein. Obtusifolioside 14alpha-demethylase (CYP51) antisense Arabidopsis shows slow growth and long life. Biochem Biophys Res Commun. 2001 Jul 6;285(1):98-104. PMID: 11437378 [PubMed - indexed for MEDLINE]
- 148: Palecanda L, Sharrock RA. Related Articles. Molecular and phenotypic specificity of an antisense PHYB gene in Arabidopsis. Plant Mol Biol. 2001 May;46(1):89-97. PMID: 11437253 [PubMed - indexed for MEDLINE]
- 149: Zhong S, Wen S, Zhang D. Related Articles. [Inhibition of HBV gene expression by antisense oligonucleotides using galactosylated poly (L-lysine) as a hepatotropic carrier]. Zhonghua Shi Yan He Lin Chuang Bing Du Xue Za Zhi. 2001 Jun;15(2):150-3. Chinese. PMID: 11436645 [PubMed - in process]
- 150: Pawlowska Z, Chabielska E, Kobylanska A, Maciaszek A, Swiatkowska M, Buczek W, Stec WJ, Ciermiewski CS. Related Articles. Regulation of PAI-1 concentration in platelets by systemic administration of antisense oligonucleotides to rats. Thromb Haemost. 2001 Jun;85(6):1086-9. PMID: 11434689 [PubMed - in process]
- 151: Liu XD, Sun ZQ, Zhang CB, Wu HL. Related Articles. [Construction of CgA gene antisense transgenic mice]. Yi Chuan Xue Bao. 2001;28(6):493-501. Chinese. PMID: 11431981 [PubMed - indexed for MEDLINE]
- 152: Blee K, Choi JW, O'Connell AP, Jupe SC, Schuch W, Lewis NG, Bolwell GP. Related Articles. Antisense and sense expression of cDNA coding for CYP73A15, a class II cinnamate 4-hydroxylase, leads to a delayed and reduced production of lignin in tobacco. Phytochemistry. 2001 Aug;57(7):1159-66. PMID: 11430988 [PubMed - indexed for MEDLINE]
- 153: Matsumoto RR, McCracken KA, Friedman MJ, Pouw B, De Costa BR, Bowen WD. Related Articles. Conformationally restricted analogs of BD1008 and an antisense oligodeoxynucleotide targeting signal receptors produce anti-cocaine effects in mice. Eur J Pharmacol. 2001 May 11;419(2-3):163-74. PMID: 11426838 [PubMed - in process]
- 154: Crooke ST. Related Articles. Potential roles of antisense technology in cancer chemotherapy. Oncogene. 2000 Dec 27;19(56):6651-9. Review. PMID: 11426651 [PubMed - indexed for MEDLINE]
- 155: Lehmann TJ, Engels JW. Related Articles. Synthesis and properties of bile acid phosphoramidites 5'-tethered to antisense oligodeoxynucleotides against HCV. Bioorg Med Chem. 2001 Jul;9(7):1827-35. PMID: 11425584 [PubMed - indexed for MEDLINE]
- 156: Robaczewska M, Guerret S, Remy JS, Chemin J, Offensperger WB, Chevallier M, Behr JP, Podhajski AJ, Blum HE, Trepo C, Cova L. Related Articles. Inhibition of hepadnaviral replication by polyethylenimine-based intravenous delivery of antisense phosphodiester oligodeoxynucleotides to the liver. Gene Ther. 2001 Jun;8(11):874-81. PMID: 11423935 [PubMed - indexed for MEDLINE]

- ☐ **157:** Chen H, Mohuczy D, Li D, Kimura B, Phillips MI, Mehta P, Mehta JL. Related Articles
Protection against ischemia/reperfusion injury and myocardial dysfunction by antisense-oligodeoxynucleotide directed at angiotensin-converting enzyme mRNA.
Gene Ther. 2001 May;8(10):804-10.
PMID: 11420645 [PubMed - indexed for MEDLINE]
- ☐ **158:** Diaz M, Verkoczy LK, Flajnik MF, Klinman NR. Related Articles
Decreased frequency of somatic hypermutation and impaired affinity maturation but intact germinal center formation in mice expressing antisense RNA to DNA polymerase zeta.
J Immunol. 2001 Jul 1;167(1):327-35.
PMID: 11418667 [PubMed - indexed for MEDLINE]
- ☐ **159:** Wang XH, Wang SQ, Guan W, Mao BZ. Related Articles
[The construction and evaluation of antisense RNA expression vector targeting at HCV 5'NCR].
Sheng Wu Gong Cheng Xue Bao. 2001 Mar;17(2):179-82. Chinese.
PMID: 11411227 [PubMed - indexed for MEDLINE]
- ☐ **160:** Ciardiello F, Caputo R, Troiani T, Borriello G, Kandimalla ER, Agrawal S, Mendelsohn J, Bianco AR, Tortora G. Related Articles
Antisense oligonucleotides targeting the epidermal growth factor receptor inhibit proliferation, induce apoptosis, and cooperate with cytotoxic drugs in human cancer cell lines.
Int J Cancer. 2001 Jul 15;93(2):172-8.
PMID: 11410862 [PubMed - indexed for MEDLINE]
- ☐ **161:** Funato T, Satou J, Kozawa K, Fujimaki S, Miura T, Kaku M. Related Articles
Use of c-myc antisense oligonucleotides to increase the sensitivity of human colon cancer cells to cisplatin.
Oncol Rep. 2001 Jul-Aug;8(4):807-10.
PMID: 11410788 [PubMed - indexed for MEDLINE]
- ☐ **162:** Uto H, Ido A, Moriuchi A, Onaga Y, Nagata K, Onaga M, Tahara Y, Hori T, Hirono S, Hayashi K, Tsubouchi H. Related Articles
Transduction of antisense cyclin D1 using two-step gene transfer inhibits the growth of rat hepatoma cells.
Cancer Res. 2001 Jun 15;61(12):4779-83.
PMID: 11406552 [PubMed - indexed for MEDLINE]
- ☐ **163:** Zhu Y, Srivatana U, Ullah A, Gagneja H, Berenson CS, Lance P. Related Articles
Suppression of a sialyltransferase by antisense DNA reduces invasiveness of human colon cancer cells in vitro.
Biochim Biophys Acta. 2001 May 31;1536(2-3):148-60.
PMID: 11406350 [PubMed - indexed for MEDLINE]
- ☐ **164:** McMahon BM, Stewart JA, Jackson J, Fauq A, McCormick DJ, Richelson E. Related Articles
Intraperitoneal injection of antisense peptide nucleic acids targeted to the mu receptor decreases response to morphine and receptor protein levels in rat brain.
Brain Res. 2001 Jun 22;904(2):345-9.
PMID: 11406133 [PubMed - in process]
- ☐ **165:** Wang MB, Yip HT, Srivatsan ES. Related Articles
Antisense cyclin D1 enhances sensitivity of head and neck cancer cells to cisplatin.
Laryngoscope. 2001 Jun;111(6):982-8.
PMID: 11404608 [PubMed - indexed for MEDLINE]
- ☐ **166:** Schindler A, Fiedler U, Meye A, Schmidt U, Fussel S, Pilarsky C, Herrmann J, Wirth MP. Related Articles
Human telomerase reverse transcriptase antisense treatment downregulates the viability of prostate cancer cells in vitro.
Int J Oncol. 2001 Jul;19(1):25-30.

PMID: 11408918 [PubMed - indexed for MEDLINE]

- ☐ **167:** Kyriakides TR, Hartzel T, Huynh G, Bornstein P. Related Articles
Regulation of angiogenesis and matrix remodeling by localized, matrix-mediated antisense gene delivery.
Mol Ther. 2001 Jun;3(6):842-9.
PMID: 11407897 [PubMed - indexed for MEDLINE]
- ☐ **168:** Funato T, Kozawa K, Fujimaki S, Miura T, Kaku M. Related Articles
Increased sensitivity to cisplatin in gastric cancer by antisense inhibition of the her-2/neu (c-erbB-2) gene.
Chemotherapy. 2001 Jul-Aug;47(4):297-303.
PMID: 11399867 [PubMed - indexed for MEDLINE]
- ☐ **169:** Lakkaraju A, Dubinsky JM, Low WC, Rahman YE. Related Articles
Neurons are protected from excitotoxic death by p53 antisense oligonucleotides delivered in anionic liposomes.
J Biol Chem. 2001 Aug 24;276(34):32000-7.
PMID: 11406618 [PubMed - indexed for MEDLINE]
- ☐ **170:** Lally D, Ingmire P, Tong HY, He ZH. Related Articles
Antisense expression of a cell wall-associated protein kinase, WAK4, inhibits cell elongation and alters morphology.
Plant Cell. 2001 Jun;13(6):1317-31.
PMID: 11402163 [PubMed - indexed for MEDLINE]
- ☐ **171:** Liniger M, Bodenmuller K, Pays E, Gallati S, Roditi L. Related Articles, Nucleotide, Protein
Overlapping sense and antisense transcription units in *Trypanosoma brucei*.
Mol Microbiol. 2001 May;40(4):869-78.
PMID: 11401694 [PubMed - indexed for MEDLINE]
- ☐ **172:** Kolb FA, Westhof E, Ehresmann B, Ehresmann C, Wagner EG, Romby P. Related Articles
Four-way junctions in antisense RNA-mRNA complexes involved in plasmid replication control: a common theme?
J Mol Biol. 2001 Jun 8;309(3):605-14.
PMID: 11397083 [PubMed - indexed for MEDLINE]
- ☐ **173:** Fisher M, Liu B, Glennon PE, Southgate KM, Sale EM, Sale GJ, Lewis MJ, Groves PH. Related Articles
Downregulation of the ERK 1 and 2 mitogen activated protein kinases using antisense oligonucleotides inhibits proliferation of porcine vascular smooth muscle cells.
Atherosclerosis. 2001 Jun;156(2):289-95.
PMID: 11395024 [PubMed - indexed for MEDLINE]
- ☐ **174:** Wang SJ, Mintz LE, Natarajan V, Lee NJ, Srivatsan ES, Wang MB. Related Articles
Third place--Resident Research Competition, AAO-2000. Antisense cyclin D1 inhibits growth of head and neck cancer xenografts in nude mice.
Otolaryngol Head Neck Surg. 2001 Jun;124(6):656-62.
PMID: 11391257 [PubMed - indexed for MEDLINE]
- ☐ **175:** Blin-Wakkach C, Lezot F, Ghoul-Mazgar S, Hotton D, Monteiro S, Teillaud C, Pibouin L, Orestes-Cardoso S, Papagerakis P, Macdougall M, Robert B, Berdal A. Related Articles, OMIM
Endogenous Msx1 antisense transcript: in vivo and in vitro evidences, structure, and potential involvement in skeleton development in mammals.
Proc Natl Acad Sci U S A. 2001 Jun 19;98(13):7336-41.
PMID: 11390985 [PubMed - indexed for MEDLINE]
- ☐ **176:** Finotto S, De Sanctis GT, Lehr HA, Herz U, Buerke M, Schipp M, Bartsch B, Atreya R, Schmitt E, Galle PR, Renz H, Neurath MF. Related Articles

Treatment of allergic airway inflammation and hyperresponsiveness by antisense-induced local blockade of GATA-3 expression.
J Exp Med. 2001 Jun 4;193(11):1247-60.
PMID: 11390432 [PubMed - indexed for MEDLINE]

☐ 177:Zheng J, Tan T.

Related Articles

The application of radionuclide antisense therapy for malignant tumours.
Nucl Med Commun. 2001 May;22(5):469-72. No abstract available.
PMID: 11388565 [PubMed - in process]

☐ 178:Corey DR, Abrams JM.

Related Articles

Morpholino antisense oligonucleotides: tools for investigating vertebrate development.
Genome Biol. 2001;2(5):REVIEWS1015.
PMID: 11387041 [PubMed - in process]

☐ 179:Kokunai T, Urui S, Tomita H, Tamaki N.

Related Articles

Overcoming of radioresistance in human gliomas by p21WAF1/CIP1 antisense oligonucleotide.
J Neurooncol. 2001 Jan;51(2):111-9.
PMID: 11386407 [PubMed - indexed for MEDLINE]

☐ 180:Zamaratski E, Pradeepkumar PI, Chattopadhyaya J.

Related Articles

A critical survey of the structure-function of the antisense oligo/RNA heteroduplex as substrate for RNase H.
J Biochem Biophys Methods. 2001 May 28;48(3):189-208. Review.
PMID: 11384757 [PubMed - indexed for MEDLINE]

☐ 181:Ebinuma H, Saito H, Kosuga M, Wakabayashi K, Saito Y, Takagi T, Nakamoto N, Okuyama T, Related Articles
Ishii H.

Reduction of c-myc expression by an antisense approach under Cre/loxP switching induces apoptosis in human liver cancer cells.
J Cell Physiol. 2001 Jul;188(1):56-66.
PMID: 11382922 [PubMed - indexed for MEDLINE]

☐ 182:Salzarulo P, Thakkar MM, Ramesh V, Cape EG, Winston S, Strecker RE, McCarley RW.

Related Articles

Rem sleep enhancement and behavioral cataplexy following orexin (hypocretin)-ii receptor antisense perfusion in the pontine reticular formation.
Sleep Res Online. 1999;2(4):112-20.
PMID: 11382892 [PubMed - in process]

☐ 183:Hallscheidt P, Wallich R, Kauffmann GW, Pomer S.

Related Articles

Inhibition of TGF-beta and VEGF expression in human endothelium cell lines with antisense-oligonucleotides: potential tools for gene therapy of chronic renal transplant rejection.
Transplant Proc. 2001 May;33(3):2157-9. No abstract available.
PMID: 11377485 [PubMed - indexed for MEDLINE]

☐ 184:Finegold AA, Perez FM, Iadarola MJ.

Related Articles

In vivo control of NMDA receptor transcript level in motoneurons by viral transduction of a short antisense gene.
Brain Res Mol Brain Res. 2001 May 20;90(1):17-25.
PMID: 11376852 [PubMed - indexed for MEDLINE]

☐ 185:Chen L, Zhuo G, Chen Z.

Related Articles

[Effects of c-myc antisense oligodeoxynucleotide transfected by liposome on HL-60 cells].
Zhonghua Nei Ke Za Zhi. 2000 Oct;39(10):660-3. Chinese.
PMID: 11374170 [PubMed - in process]

☐ 186:Lappas M, Munns MJ, King RG, Rice GE.

Related Articles

Antisense oligonucleotide inhibition of type II phospholipase A2 expression, release and activity in vitro.

Placenta. 2001 May;22(5):418-24.

PMID: 11373152 [PubMed - indexed for MEDLINE]

- ☐ **187:** Reedy MB, Hang T, Gallion H, Arnold S, Smith SA.

Related Articles

Antisense inhibition of BRCA1 expression and molecular analysis of hereditary tumors indicate that functional inactivation of the p53 DNA damage response pathway is required for BRCA-associated tumorigenesis.

Gynecol Oncol. 2001 Jun;81(3):441-6.

PMID: 11371136 [PubMed - indexed for MEDLINE]

- ☐ **188:** Kishioka H, Fukuda N, Wen-Yang H, Nakayama M, Watanabe Y, Kanmatsuse K.

Related Articles

Effects of PDGF A-chain antisense oligodeoxynucleotides on growth of cardiovascular organs in stroke-prone spontaneously hypertensive rats.

Am J Hypertens. 2001 May;14(5 Pt 1):439-45.

PMID: 11368465 [PubMed - indexed for MEDLINE]

- ☐ **189:** Diz DI, Westwood B, Averill DB.

Related Articles

AT(1) antisense distinguishes receptors mediating angiotensin II actions in solitary tract nucleus.

Hypertension. 2001 May;37(5):1292-7.

PMID: 11358943 [PubMed - indexed for MEDLINE]

- ☐ **190:** Shi F, Nomden A, Oberle V, Engberts JB, Hoekstra D.

Related Articles

Efficient cationic lipid-mediated delivery of antisense oligonucleotides into eukaryotic cells: down-regulation of the corticotropin-releasing factor receptor.

Nucleic Acids Res. 2001 May 15;29(10):2079-87.

PMID: 11353077 [PubMed - indexed for MEDLINE]

- ☐ **191:** Sohail M, Hochegger H, Klotzbucher A, Guellec RL, Hunt T, Southern EM.

Related Articles

Antisense oligonucleotides selected by hybridisation to scanning arrays are effective reagents in vivo.

Nucleic Acids Res. 2001 May 15;29(10):2041-51.

PMID: 11353073 [PubMed - indexed for MEDLINE]

- ☐ **192:** [No authors listed]

Related Articles

Fomivirsen approved for CMV retinitis: first antisense drug.

AIDS Treat News. 1998 Sep 4;(302):7. No abstract available.

PMID: 11365764 [PubMed - indexed for MEDLINE]

- ☐ **193:** [No authors listed]

Related Articles

Isis presents data on safety and effectiveness of antisense CMV retinitis compound.

J Int Assoc Physicians AIDS Care. 1996 May;2(5):50. No abstract available.

PMID: 11363533 [PubMed - indexed for MEDLINE]

- ☐ **194:** Chang HE, Mascolini M.

Related Articles

Sense antisense nonantisense. Can these novel antivirals knock HIV senseless?

J Int Assoc Physicians AIDS Care. 1995 Feb;1(1):11-8. No abstract available.

PMID: 11362229 [PubMed - indexed for MEDLINE]

- ☐ **195:** [No authors listed]

Related Articles

Antisense drug closer to approval.

AIDS Patient Care STDS. 1998 Oct;12(10):805-6. No abstract available.

PMID: 11362033 [PubMed - indexed for MEDLINE]

- ☐ **196:** [No authors listed]

Related Articles

Significant inhibitory effects of Hybridon's antisense compound on various HIV-1 replication steps

in in vitro tests.

AIDS Patient Care STDS. 1996 Dec;10(6):375-6. No abstract available.
PMID: 11361558 [PubMed - indexed for MEDLINE]

☐ **197:** [Li YL](#), [Guo FK](#), [Wu SG](#).

Related Articles

Effects of antisense IRAK-2 oligonucleotides on PGI2 release induced by IL-1 and TNF.
Acta Pharmacol Sin. 2000 Jul;21(7):646-8.
PMID: 11360675 [PubMed - indexed for MEDLINE]

☐ **198:** [Shen M](#), [Feng Y](#), [Ge B](#).

Related Articles

[Effect of liposome-C-erbB2 antisense oligodeoxynucleotides on human ovarian cancer cells].
Zhonghua Fu Chan Ke Za Zhi. 1999 Aug;34(8):485-7. Chinese.
PMID: 11360601 [PubMed - indexed for MEDLINE]

☐ **199:** [Oka T](#), [Yoshikawa M](#), [Kobayashi T](#), [Kitamura K](#), [Iwao K](#), [Kobayashi H](#).

Related Articles

Effects of antisense oligodeoxynucleotides against opioid receptors on the receptor mRNA contents.
Life Sci. 2001;68(19-20):2221-5.
PMID: 11358330 [PubMed - indexed for MEDLINE]

☐ **200:** [Sohail M](#), [Southern EM](#).

Related Articles

Using oligonucleotide scanning arrays to find effective antisense reagents.
Methods Mol Biol. 2001;170:181-99. No abstract available.
PMID: 11357682 [PubMed - indexed for MEDLINE]

☐ **201:** [Ponnappa BC](#), [Dey I](#), [Tu GC](#), [Zhou F](#), [Aini M](#), [Cao QN](#), [Israel Y](#).

Related Articles

In vivo delivery of antisense oligonucleotides in pH-sensitive liposomes inhibits lipopolysaccharide-induced production of tumor necrosis factor-alpha in rats.
J Pharmacol Exp Ther. 2001 Jun;297(3):1129-36.
PMID: 11356938 [PubMed - indexed for MEDLINE]

☐ **202:** [Banks WA](#), [Farr SA](#), [Butt W](#), [Kumar VB](#), [Franko MW](#), [Morley JE](#).

Related Articles

Delivery across the blood-brain barrier of antisense directed against amyloid beta: reversal of learning and memory deficits in mice overexpressing amyloid precursor protein.
J Pharmacol Exp Ther. 2001 Jun;297(3):1113-21.
PMID: 11356936 [PubMed - indexed for MEDLINE]

☐ **203:** [Zhao R](#), [Yu X](#), [Liu H](#), [Zhai L](#), [Xiong S](#), [Su T](#), [Liu G](#).

Related Articles

Study on the degeneracy of antisense peptides using affinity chromatography.
J Chromatogr A. 2001 Apr 13;913(1-2):421-8.
PMID: 11355840 [PubMed - indexed for MEDLINE]

☐ **204:** [Cao JL](#), [Liu HF](#), [Zhou WH](#), [Yang GD](#), [Zhang LC](#), [Zeng YM](#).

Related Articles

[Intrathecal injection of NOS antisense oligonucleotides inhibits the increase of NMDA1AR mRNA expression in the spinal cord and brainstem of morphine-withdrawal rats].
Sheng Li Xue Bao. 2001 Feb;53(1):27-31. Chinese.
PMID: 11354793 [PubMed - in process]

☐ **205:** [Zhao R](#), [Yu X](#), [Liu H](#), [Zhai L](#), [Xiong S](#), [Su T](#), [Liu G](#).

Related Articles

Study on the degeneracy of antisense peptides using affinity chromatography.
J Chromatogr A. 2001 Apr 13;913(1-2):421-8.
PMID: 11354190 [PubMed - in process]

☐ **206:** [Di Serio F](#), [Schob H](#), [Iglesias A](#), [Tarina C](#), [Boulidoires E](#), [Meins F Jr](#).

Related Articles

Sense- and antisense-mediated gene silencing in tobacco is inhibited by the same viral suppressors and is associated with accumulation of small RNAs.
Proc Natl Acad Sci U S A. 2001 May 22;98(11):6506-10.
PMID: 11353866 [PubMed - indexed for MEDLINE]

- 207: [Lia Varga V](#), [Falus A](#), [Pallinger E](#), [Novak I](#), [Fulop KA](#), [Toth S](#), [Rose-John S](#).
A novel and rapid prediction assay for the effectiveness of IL-6 receptor specific antisense oligonucleotides by proliferation inhibition of an interleukin-6 dependent cell line.
Cell Biol Int. 2001;25(3):253-6.
PMID: 11352498 [PubMed - indexed for MEDLINE] Related Articles
- 208: [Kondo Y](#), [Komata T](#), [Kondo S](#).
Combination therapy of 2-5A antisense against telomerase RNA and cisplatin for malignant gliomas.
Int J Oncol. 2001 Jun;18(6):1287-92.
PMID: 11351264 [PubMed - indexed for MEDLINE] Related Articles
- 209: [Strasberg Rieber M](#), [Zangemeister-Wittke U](#), [Rieber M](#).
p53-Independent induction of apoptosis in human melanoma cells by a bcl-2/bcl-xL bispecific antisense oligonucleotide.
Clin Cancer Res. 2001 May;7(5):1446-51.
PMID: 11350916 [PubMed - indexed for MEDLINE] Related Articles
- 210: [Rudin CM](#), [Holmlund J](#), [Fleming GF](#), [Mani S](#), [Stadler WM](#), [Schumm P](#), [Monia BP](#), [Johnston JF](#), [Geary R](#), [Yu RZ](#), [Kwoh TJ](#), [Dorr FA](#), [Ratain MJ](#).
Phase I Trial of ISIS 5132, an antisense oligonucleotide inhibitor of c-raf-1, administered by 24-hour weekly infusion to patients with advanced cancer.
Clin Cancer Res. 2001 May;7(5):1214-20.
PMID: 11350886 [PubMed - indexed for MEDLINE] Related Articles
- 211: [Galeotti N](#), [Ghelardini C](#), [Bartolini A](#).
Differential prevention of morphine amnesia by antisense oligodeoxynucleotides directed against various Gi-protein alpha subunits.
Br J Pharmacol. 2001 May;133(2):267-74.
PMID: 11350863 [PubMed - indexed for MEDLINE] Related Articles
- 212: [Weng TX](#), [Mo L](#), [Hellmich HL](#), [Yu AS](#), [Wood T](#), [Wills NK](#).
Expression and regulation of CIC-5 chloride channels: effects of antisense and oxidants.
Am J Physiol Cell Physiol. 2001 Jun;280(6):C1511-20.
PMID: 11350746 [PubMed - indexed for MEDLINE] Related Articles
- 213: [Oudejans CB](#), [Westerman B](#), [Wouters D](#), [Gooyer S](#), [Leeuwwater PA](#), [van Wijk JJ](#), [Sleutels F](#).
Allelic IGF2R repression does not correlate with expression of antisense RNA in human extraembryonic tissues.
Genomics. 2001 May 1;73(3):331-7.
PMID: 11350125 [PubMed - indexed for MEDLINE] Related Articles
- 214: [Chamberlain SJ](#), [Brannan CI](#).
The Prader-Willi syndrome imprinting center activates the paternally expressed murine Ube3a antisense transcript but represses paternal Ube3a.
Genomics. 2001 May 1;73(3):316-22.
PMID: 11350123 [PubMed - indexed for MEDLINE] Related Articles
- 215: [May JS](#), [Prince AM](#), [Lyle RE](#), [McGehee RE Jr](#).
Antisense suppression of p107 inhibits 3T3-L1 adipocyte differentiation.
Biochem Biophys Res Commun. 2001 May 18;283(4):837-42.
PMID: 11350060 [PubMed - indexed for MEDLINE] Related Articles
- 216: [Heineke D](#), [Bykova N](#), [Gardestrom P](#), [Bauwe H](#).
Metabolic response of potato plants to an antisense reduction of the P-protein of glycine decarboxylase.
Planta. 2001 Apr;212(5-6):880-7.
PMID: 11346965 [PubMed - indexed for MEDLINE] Related Articles

- ☐ **217:** [Hartness ME, Lewis A, Searle GJ, O'Kelly I, Peers C, Kemp PJ.](#) Related Articles
Combined antisense and pharmacological approaches implicate hTASK as an airway O(2) sensing K (+) channel.
J Biol Chem. 2001 Jul 13;276(28):26499-508.
PMID: 11344164 [PubMed - indexed for MEDLINE]
- ☐ **218:** [Semple SC, Klinuk SK, Harasym TO, Dos Santos N, Ansell SM, Wong KE, Maurer N, Stark H, Cullis PR, Hope MJ, Scherrer P.](#) Related Articles
Efficient encapsulation of antisense oligonucleotides in lipid vesicles using ionizable aminolipids: formation of novel small multilamellar vesicle structures.
Biochim Biophys Acta. 2001 Feb 9;1510(1-2):152-66.
PMID: 11342155 [PubMed - indexed for MEDLINE]
- ☐ **219:** [Griffoni C, Laktionov PP, Rykova EY, Spisni E, Riccio M, Santi S, Bryksin A, Volodko N, Kraft R, Vlassov V, Tomasi V.](#) Related Articles
The Rossmann fold of glyceraldehyde-3-phosphate dehydrogenase (GAPDH) is a nuclear docking site for antisense oligonucleotides containing a TAAAT motif.
Biochim Biophys Acta. 2001 Jan 15;1530(1):32-46.
PMID: 11341957 [PubMed - indexed for MEDLINE]
- ☐ **220:** [Junghans M, Kreuter J, Zimmer A.](#) Related Articles
Phosphodiester and phosphorothioate oligonucleotide condensation and preparation of antisense nanoparticles.
Biochim Biophys Acta. 2001 Jan 12;1544(1-2):177-88.
PMID: 11341927 [PubMed - indexed for MEDLINE]
- ☐ **221:** [Andersson J, Walters RG, Horton P, Jansson S.](#) Related Articles
Antisense inhibition of the photosynthetic antenna proteins CP29 and CP26: implications for the mechanism of protective energy dissipation.
Plant Cell. 2001 May;13(5):1193-204.
PMID: 11340191 [PubMed - indexed for MEDLINE]
- ☐ **222:** [Danis RP, Henry SP.](#) Related Articles
Potential therapeutic application of antisense oligonucleotides in the treatment of ocular diseases.
Expert Opin Pharmacother. 2001 Feb;2(2):277-91.
PMID: 11336586 [PubMed - in process]
- ☐ **223:** [Im SA, Kim JS, Gomez-Manzano C, Fueyo J, Liu TJ, Cho MS, Seong CM, Lee SN, Hong YK, Yung WK.](#) Related Articles
Inhibition of breast cancer growth in vivo by antiangiogenesis gene therapy with adenovirus-mediated antisense-VEGF.
Br J Cancer. 2001 May 4;84(9):1252-7.
PMID: 11336478 [PubMed - indexed for MEDLINE]
- ☐ **224:** [Lou X, Garrett KL, Rakoczy PE, Chirila TV.](#) Related Articles
Synthetic hydrogels as carriers in antisense therapy: preliminary evaluation of an oligodeoxynucleotide covalent conjugate with a copolymer of 1-vinyl-2-pyrrolidinone and 2-hydroxyethyl methacrylate.
J Biomater Appl. 2001 Apr;15(4):307-20.
PMID: 11336385 [PubMed - in process]
- ☐ **225:** [Funato T, Kozawa K, Fujimaki S, Kaku M.](#) Related Articles
Increased sensitivity to cytosine arabinoside in human leukemia by c-raf-1 antisense oligonucleotides.
Anticancer Drugs. 2001 Apr;12(4):325-9.
PMID: 11335788 [PubMed - indexed for MEDLINE]
- ☐ **226:** [Roque F, Mon G, Belardi J, Rodriguez A, Grinfeld L, Long R, Grossman S, Malcolm A, Zon G, Ormont ML, Fischman DL, Shi Y, Zalewski A.](#) Related Articles

Safety of intracoronary administration of c-myc antisense oligomers after percutaneous transluminal coronary angioplasty (PTCA).
Antisense Nucleic Acid Drug Dev. 2001 Apr;11(2):99-106.
PMID: 11334145 [PubMed - indexed for MEDLINE]

- ☐ **227:** Vilenchik M, Benimetsky L, Kolbanovsky A, Miller P, Stein CA. Related Articles
Evidence for higher-order structure formation by the c-myc 18-mer phosphorothioate antisense (codons 2-7) oligodeoxynucleotide: potential relationship to antisense c-myc inhibition.
Antisense Nucleic Acid Drug Dev. 2001 Apr;11(2):87-97.
PMID: 11334144 [PubMed - indexed for MEDLINE]
- ☐ **228:** Sandoval MT, Zurita M. Related Articles
Increased UV light sensitivity in transgenic *Drosophila* expressing the antisense XPD homolog.
Antisense Nucleic Acid Drug Dev. 2001 Apr;11(2):125-8.
PMID: 11334141 [PubMed - indexed for MEDLINE]
- ☐ **229:** Furusako S, Takahashi T, Mori S, Takahashi Y, Tsuda T, Namba M, Mochizuki H. Related Articles
Protection of mice from LPS-induced shock by CD14 antisense oligonucleotide.
Acta Med Okayama. 2001 Apr;55(2):105-15.
PMID: 11332197 [PubMed - in process]
- ☐ **230:** Khan A, Sommer W, Fuxe K, Akhtar S. Related Articles
Site-specific administration of antisense oligonucleotides using biodegradable polymer microspheres provides sustained delivery and improved subcellular biodistribution in the neostriatum of the rat brain.
J Drug Target. 2000;8(5):319-34.
PMID: 11328659 [PubMed - indexed for MEDLINE]
- ☐ **231:** Nakamura N, Hart DA, Frank CB, Marchuk LL, Shrive NG, Ota N, Taira K, Yoshikawa H, Kaneda Y. Related Articles
Efficient transfer of intact oligonucleotides into the nucleus of ligament scar fibroblasts by HVJ-cationic liposomes is correlated with effective antisense gene inhibition.
J Biochem (Tokyo). 2001 May;129(5):755-9.
PMID: 11328598 [PubMed - indexed for MEDLINE]
- ☐ **232:** Guo FK, Li YL, Wu SG. Related Articles
Antisense IRAK-2 oligodeoxynucleotide inhibits interleukin-1-induced nuclear factor-kappa B activation in vitro.
Acta Pharmacol Sin. 2000 Apr;21(4):318-20.
PMID: 11324458 [PubMed - indexed for MEDLINE]
- ☐ **233:** Huang SL, Ding B, Shan B, Yu QS, Guo ZG. Related Articles
Prevention of intima hyperplasia by mitogen-activated protein kinase antisense oligodeoxynucleotide.
Acta Pharmacol Sin. 2000 Apr;21(4):313-7.
PMID: 11324457 [PubMed - indexed for MEDLINE]
- ☐ **234:** Huang SL, Ding B, Li J, Yu QS, Guo ZG. Related Articles
Antisense Ca(2+)-calmodulin dependent protein kinase oligonucleotide inhibits bFGF-induced proliferation of rat vascular smooth muscle cells.
Acta Pharmacol Sin. 2000 Mar;21(3):229-33.
PMID: 11324421 [PubMed - indexed for MEDLINE]
- ☐ **235:** Zheng SX, Zhou LJ, Zhu XZ, Jin YX. Related Articles
Antisense oligodeoxynucleotide inhibits vascular endothelial growth factor in human glioma cells.
Acta Pharmacol Sin. 2000 Mar;21(3):211-4.
PMID: 11324417 [PubMed - indexed for MEDLINE]

- ☐ **236:** [Cholet N, Pellerin L, Welker E, Lacombe P, Scylax J, Magistretti P, Bonvento G.](#) Related Articles
Local injection of antisense oligonucleotides targeted to the glial glutamate transporter GLAST decreases the metabolic response to somatosensory activation.
J Cereb Blood Flow Metab. 2001 Apr;21(4):404-12.
PMID: 11323526 [PubMed - indexed for MEDLINE]
- ☐ **237:** [del Solar G, Espinosa M.](#) Related Articles
In vitro analysis of the terminator T(II) of the inhibitor antisense rna II gene from plasmid pMV158.
Plasmid. 2001 Mar;45(2):75-87.
PMID: 11322822 [PubMed - indexed for MEDLINE]
- ☐ **238:** [Koga S, Kondo Y, Komata T, Kondo S.](#) Related Articles
Treatment of bladder cancer cells in vitro and in vivo with 2-5A antisense telomerase RNA.
Gene Ther. 2001 Apr;8(8):654-8.
PMID: 11320413 [PubMed - indexed for MEDLINE]
- ☐ **239:** [Sun X, Kanwar JR, Leung E, Lehnert K, Wang D, Krissansen GW.](#) Related Articles
Gene transfer of antisense hypoxia inducible factor-1 alpha enhances the therapeutic efficacy of cancer immunotherapy.
Gene Ther. 2001 Apr;8(8):638-45.
PMID: 11320410 [PubMed - indexed for MEDLINE]
- ☐ **240:** [Nakano M, Aoki K, Matsumoto N, Ohnami S, Hatanaka K, Hibi T, Terada M, Yoshida T.](#) Related Articles
Suppression of colorectal cancer growth using an adenovirus vector expressing an antisense K-ras RNA.
Mol Ther. 2001 Apr;3(4):491-9.
PMID: 11319909 [PubMed - indexed for MEDLINE]
- ☐ **241:** [Drivdahl RH, Sprenger C, Trimm K, Plymate SR.](#) Related Articles
Inhibition of growth and increased expression of insulin-like growth factor-binding protein-3 (IGFBP-3) and -6 in prostate cancer cells stably transfected with antisense IGFBP-4 complementary deoxyribonucleic acid.
Endocrinology. 2001 May;142(5):1990-8.
PMID: 11316765 [PubMed - indexed for MEDLINE]
- ☐ **242:** [Lakka SS, Konduri SD, Mohanam S, Nicolson GL, Rao JS.](#) Related Articles
In vitro modulation of human lung cancer cell line invasiveness by antisense cDNA of tissue factor pathway inhibitor-2.
Clin Exp Metastasis. 2000;18(3):239-44.
PMID: 11315097 [PubMed - indexed for MEDLINE]
- ☐ **243:** [Frank S, Gauster M, Strauss J, Hrzenjak A, Kostner GM.](#) Related Articles
Adenovirus-mediated apo(a)-antisense-RNA expression efficiently inhibits apo(a) synthesis in vitro and in vivo.
Gene Ther. 2001 Mar;8(6):425-30.
PMID: 11313820 [PubMed - indexed for MEDLINE]
- ☐ **244:** [Sidiropoulos P, Liu H, Mungre S, Anderson L, Thimmapaya B, Pope RM.](#) Related Articles
Efficacy of adenoviral TNF alpha antisense is enhanced by a macrophage specific promoter.
Gene Ther. 2001 Feb;8(3):223-31.
PMID: 11313794 [PubMed - indexed for MEDLINE]
- ☐ **245:** [Nyhus JK, Wolford C, Feng L, Barbera-Guillem E.](#) Related Articles
Direct in vivo transfection of antisense Fas-ligand reduces tumor growth and invasion.
Gene Ther. 2001 Feb;8(3):209-14.
PMID: 11313792 [PubMed - indexed for MEDLINE]